

Utilization of Steel Structures In Construction of High Performance Structures: A Review

Manish Kumar ¹, Hitesh Kodwani²

^{1,2}Dept of Civil Engineering

² Assistant Professor and Head, Dept of Civil Engineering

^{1,2}Sam College of Engineering and Technology, Bhopal-462021, Madhya Pradesh, India.

Abstract- Industrial structures are built up of steel structures for easy assembling as per industrial requirement and for generating desired strength. In industrial structures trusses are assembled using bolted, riveted and welded joints as per load distribution. In India general steel structure which we use is FE 345 grade, which is heavy, and rigid to bear machinery load. These structures are comparatively much costlier than RCC structures. For their assembling cranks are required to fix at the specific position as manually they are not possible to lift. These structures has to bear machinery loads and live load of workers. In this study we are presenting literature review of papers related to analysis of steel structures using different alloys and metals in steel trusses.

Keywords- Steel structure, industrial building, forces, axial, stresses, deflection, wind, analysis tool.

I. INTRODUCTION

Trusses are formed by assembling members in a pattern to distribute tension and compression.

Truss arrangements have different distribution pattern and connections, they have pinned and roller supports which helps to release bending and restrain forces in vertical and horizontal directions. Truss structures are utilized in areas where high strength is required, there are number of arrangements which are generally in use are :howe type, pratt type, N-type, warren type, king post truss etc.

we are presenting literature survey of journals related to trusses, steel structure, cold formed steel, gantry cranes and analysis tools. Following literatures are reviewed:

Moushtakim Billahet. al. (2019) this research paper represented description of cold formed steel by presenting its behavior, properties of the material, various method of production and classification of cold formed steel elements. This even presented the guidelines and the codes which needs to be followed for cold formed steel structures, importance of its design criteria, connecting membranes and issues related to its durability.

The favourable properties of cold-formed steel for structural application are developing its prevalence quickly throughout the world. Alongside these points of advantages, there are a few properties which influence the structural execution of cold-shaped steel. The thickness of areas, framing procedure and complex structure design make difficulties for engineers to guarantee appropriate plan and development of cold-shaped steel structure. This examination has checked on the history, material properties, codes and determinations accessible, a basic plan thought, consumption and fire security and research improvements of cold-shaped steel structures. New Researches on cold-formed steel urged to beat the difficult circumstance, improve its exhibition and change the codes and rule. These examinations are making the specialist and planners certain to utilize cold-shaped steel to improve the exhibition of a structure.

Sureshbabu S and SenthilSelvan(2019) this research paper presented the experimental investigation on flexural behavior of Cold formed Steel (CFS) members lipped channel corrugated sections considering three different sets of corrugated sections which were undertaken for examining flexural behavior such as Firstly, horizontal corrugated back to back lipped channel sections without gap, Secondly, horizontal corrugated back to back lipped channel sections with gap and,Lastly, vertical corrugated lipped channel sections by providing corrugation angle in horizontal and vertical direction.

Analytical results presented that there was a hike in load bearing capacity upto 9.7% for vertical corrugated sections.

Vertically creased pillar get high protection from the applied two-point loading conditions and corrugation acts as a web stiffener for the shaft. The most extreme loads acquired were 41KN from the Abaqus result and 31KN from the test for the vertically creased area for which relating avoidance was recorded as 3.63mm and 5.53mm. Different samples specifically horizontally corrugated specimens both with and without spacing were opposing the load equivalent to a large

portion of the estimation of loads opposed by corrugated beam both logically and tentatively.

Raffaele Landolfo et. al. (2019) this research paper presented various research applications related to Cold formed steel carried at University of Naples Federico II from last two years concerning the seismic behavior of “Stick-Built” constructions and various developments of structural components and a detailed description was presented.

The generally perceived basic execution furnished by CFS structural system together with the elevated levels of construction, security, strength and supportability, are spreading this development framework throughout the world. Simultaneously, the real need explicit structure codes, for the most part for the applications in a seismic zone, requires the improvement of new research in the field. In accordance with the anticipated development, a few looks into have been completing in the most recent years at the University of Naples was outlined in the paper.

Padmanaban Ret. al. (2019) This paper exhibited the test conduct of a flat pratt truss which is completely prepared utilizing cold-formed steel (CFS) edge segments. Three different models of cold-framed Flat pratt support of each 1m range were prepared with consecutive point areas of 50X50X3.0mm. Five joints were made at the intersection of top chord individuals and the vertical chord, Similarly, five joints were likewise prepared at base chord individuals. The convergence of harmony individuals and vertical individuals were associated by jolts to the gusset plates at the intersection. Experimental analysis was performed by applying five aggregated loads at every intersection until the distortion of the frame was seen. The numerical investigation was likewise completed for the truss with the use of finite element analysis and the acquired outcomes were contrasted with test results. Both the trial and investigative outcomes uncover that the overwhelming disappointment of the bracket happens at the top corner intersection which is only a shear load and at the mid intersection of the base harmony part which is a drooping or twisting disappointment. Because of the test results, it was seen that a definitive load of the truss was expanded by 33% because of the nearness of gusset plates and the shear quality of the jolts in the bracket. The removals relating to definitive loads were likewise been noted at the intersection and their conduct was analyzed in detail as a comparative study of both experimental and analytical results.

The results demonstrated that the averaged ultimate load that was obtained experimentally by the junction of the flat pratt truss was 14.744 KN, the three models undertaken in the analysis presented that the failure was seen in the model

noted at the top corner joints(which was a shear failure) and base centre joint(which was twisting or sagging failure) and the yielding property of steel has been noted through the bends demonstrated where the expansion in loads was not making the relating increment in deflection. Thus this led to the conclusion that the presence of the gusset plate and the bolts increased the ultimate load carrying capacity of the truss by 33% of its original value. This result laid a strong foundation for the use of roof trusses that are entirely made up of cold formed steel (CFS) sections.

SK.Fayazet. al. (2019) This research paper was concerned with investigation of the strength of members by undertaking the buckling profile responsible to commemorate application of the load on the entire structure. Considering the pointed ends that repay an ideal parabolic curve, which aides in evaluating the load details, completed potential investigations. The principle carries the examination was that load following up on the pre-stressing which was dependent on the profile of the tendon. The numerical investigation further continued by the simulation method and presented the distortional buckling attributes of the compression part. The utilization of harmonic sine(or)cosine waves make critical raised factor for the use of the scientific model in designing sciences yet the outcomes were despondent when contrasted with the parametric examination.

The entire examination presented that the variation in ultimate load from parametric study along with numerical analysis was in between 30% to 40%.

Sattainathan Sharma et. al. (2018) this research paper demonstrated the various properties and behavior of a Cold Formed Steel Sections (CFSS) when used as primary structural membranes in mode to use it for futuristic approach, besides presented non-linear finite element analysis of steel beam column connections made of Cold Formed Steel Sections.

Investigation included the structural performance of Cold Formed Steel beam column connections with bolted joints in two different sections namely “I” and Channel Sections, where the connection was done on the flange and web portion of the column for type of section.

The results presented that I section behaved dominantly in comparison to Channel Section when subjected to axial loads. There has been a 34.78 rate ascend for I segment than of Channel segment by methods for the diagnostic outcome esteems. Furthermore, there has been a 50 % ascend for I section than of Channel section by methods for the Experimental test outcome values. This rate worth

demonstrates that I segments are efficient for the lightweight cold-formed steel structures and furthermore it presented web association gives preferred outcomes over of flange proportion associations of the pillar. This infers the upside of having welded joint in lightweight steel structures. Besides, the experimental analysis demonstrates that I section was carried on overwhelmingly in withstanding pivotal loads over the Channel section and furthermore suggested the upside of having darted joint in a lightweight structure. The investigation additionally presented that flexural part being associated with the joints at the web segment of the pressure part greatly affects the compression member under loading condition.

Loragayle et. al. (2018) this research paper presented a comparative analysis of a four storey commercial structure with the use of three different materials namely Hot Rolled Steel Sections (HRSS), Reinforced Concrete (RC) and Cold Formed Steel Sections (CFSS). The primary structural members of the entire building was designed as per BS standards along with Eurocodes with the use of linear elastic analysis. Design results were extracted on the basis of Building Mass, cost of the material, cost of construction and the overall cost (Material Cost+ Construction Cost) and the time durations of the construction. The results demonstrated with the use of Cold Formed Steel (CFS) in a mid-rise structures proves to be quite economical in terms of materials and overall cost of the building even reducing the time of the construction when compared to Reinforced Concrete (RCC) or Hot Rolled Steel (HRS). Moreover, it was found that the expense of material impacts entire HRS building cost, while construction greatly affects the general RCC building cost. The conclusion derived from the research paper stated the structures of Cold formed steel members are 67 % lighter in comparison to Reinforced sections, even 5% more lighter than Hot Rolled Steel Members. CFS was found to be 34 % cheap in comparison to RC members and 89% cheap than Hot Rolled Steel Members. In terms of construction time period, CFS was found 164% less time consuming than RC structures and 38% less than HRS. The consolidated index of the cost and development time terms that CFS has 325% numerous advantages concerning the expense than RC and 86% more advantages than HRS. Then again, HRS registers 239% advantageous development list than RC.

Sattainathan Sharma et. al. (2018) this research paper presented the various properties and behavior of Cold formed steel Sections (CFSS) as primary element which carry the scope of being futuristic technology applications, besides, this paper presented non-linear finite element analysis of connections in between steel column beam (cold formed connections). The primary objective behind the study was to

present the behavior of welded joints when subjected to a non-linear load on I sections and channel sections beams which was connected to flange.

The analytical results presented that I section behaved dominantly so as to withstand Axial loads in comparison to Channel sections. There has been a 34.78 rate ascend for I section than of Channel section using the analytical results. Furthermore, there has been a 50 % ascend for I section than of Channel section using the Experimental test outcome esteems. This rate worth demonstrates that I section was practical for the lightweight cold-framed steel structures and furthermore it shows web association gives preferred outcomes over of flange associations of the beam.

Further, this infers the upside of having welded joint in lightweight steel structures. Moreover, the initial study additionally demonstrates that I sections act predominantly in withstanding axial load over the Channel section and furthermore suggests the benefit of having a bolted joint in a lightweight structure. The investigation demonstrates that flexural part being associated with the joints at the web segment of the pressure part greatly affects the basic conduct under loaded condition.

Ramanand Tiwari and V. S. Parihar (2017) this research paper presented peculiar problems which comes in light while designing a cold formed steel structure. Cold formed steel comes along with various advantages being light in weight to provide a easy access for its preparation and customization, carry a high strength to weight ratio in comparison to Hot Rolled Steel Bars. Another bit of leeway is the incredible assortment of profiles accessible available which permit the structure of the diverse part cross-segments. In any case, they may act ineffectively under the fire conditions, particularly when they are unprotected in fire case because of the high warm conductivity of the steel basic membranes (thickness) the two of which lead to a quick ascent of the temperature in steel in fire circumstance in the expansion cold-formed steel individuals more often than not have the complex buckling of conduct, including distortional, global buckling and their interactions.

AshikElahiet. al. (2016) this research paper investigated C channel section to evaluate the buckling load. The C Channel Section was created using channel section with lip which was tested under axial compression. The Finite Strip Method was developed using CUFSM Method where the buckling load was undertaken from the application GBTUL. The strength of the column was determined using Direct Strength Procedure which was carried on AISI-S100:2007. The load-bearing

capacity of the columns was analyzed with numerical and experimental results.

Hypothetical investigation was completed on four different models of C Channel areas. Direct Strength Method (DSM) with the assistance of Finite strip Analysis programming (CUFSM) were utilized to analyze the developed I sections. Numerical analysis (GBTUL) results presented relationships with the exploratory outcomes.

Numerical investigation Load conveying limit should diminish with an increase in length was further analyzed. A definitive compressive quality test was utilized to check the yield point for quality control reason and pressure test decides the compressive yield focuses. For light gauge plate components, the buckling happens at low anxieties resulting because of pressure due to bending or bearing.

M. Ranjith and Mrs. G. Aruna (2016) this research paper presented the behavior of Cold formed steel (CFS) Built up Box Shaped section with flange and web stiffeners under axial compression. The Build Up Box shaped steel sections are constructed by connecting two lipped angles sections with the help of self-tapping screws. The author prepared six different specimen by varying sizes of the samples with the same thickness of 1.6mm but varying the length of the specimen section. The numerical analysis was conducted using FEM application "ANSYS" so as to extract the results and execute the analysis. Direct Strength Procedure (DSP) was used to evaluate the load bearing capacity under theoretical analysis as per North American Specification for design of cold formed steel columns (NAS) – 2001.

The results stated, with increase in the slenderness ratio (L/r ratio) there is a drastic decrease in the ultimate load bearing capacity of the designed specimen. Slender ratio is inversely proportionate to Ultimate Load Bearing Capacity. With expanded areas, distorted buckling gives rise to failures in the structure section.

M. A. YOUN et. al. (2016) this research paper presented experimental tests in order to examine the structural behavior of composite beams made of cold formed steel along with concrete slab. Seven different composite beams of cold formed steel (CFS) lipped channel sections were bought into consideration along with the effect on bent up quarter flange for channels like a new shear dowel was considered in the test analysis including the shape of shear dowel, size of the cold formed steel (CFS) and thickness of concrete slab. The results demonstrated the condition that with increase in the thickness of CFS, it leads to ultimate increase in load on composite

beams and besides, increasing thickness of concrete slab, it provides a rigid increase in ultimate load.

The conclusion stated that primary failures were seen in all the tested specimen in a definite pattern at the initial test below loading positions under failure. CFS experimental models with a thickness of 3 mm and 4 mm demonstrated concrete smashing failure mode, while CFS models with thickness of 2 mm displayed buckling of CFS failure mode at the point of support. Expanding thickness of CFS for the steady evaluation of cement and steel and thickness of piece for every composite bar was joined by an expansion in a definitive minute qualities by 28% to 73%. Expanding of the solid section for a steady evaluation of cement and steel and thickness of steel for all shafts was joined by expanding in a definitive load figures by 5% to 38%.

D. S. Yerudkar and G. R. Vesmawala (2015) This examination report planned to give a survey of the advancement in the field of cold-formed steel segments. Specific accentuations were given to the investigation of the quality and conduct of various cold-shaped steel segments with rib or web stiffeners. Cold-shaped steel individuals can be plain in basic applications, however, was given rib or web stiffeners, their exhibition and protection from distortional and lateral-torsional buckling improve. The thought behind cold-formed steel sections was to utilize shape instead of thickness to help the heap. Because of the moderately simple strategy for assembling, countless various arrangements could be delivered to fit the requests of an improved plan for both basic and affordable purposes.

For cold-formed steel sections and shafts with the extents regularly utilized practically, distortional clamping was frequently basic. Some plan codes determine the need to utilize second-request examination under specific conditions. The immediate quality strategy offers increasingly formal leniency for post-clamping and was progressively proper when nearby clamping was huge. Doubtlessly maybe this would be an advantageous time to make a connection among particulars and PC bundles, with thorough examination utilizing affirmed bundles indicated as agreeing to the structure code.

This paper checked on some ongoing advancements in composite uses of cold-formed steel segments in the U.K. furthermore, displayed a few plan proposals for such types of structures in private structures.

A twofold web box-moulded 'handle web' joint with ballistically nailed compressed wood to its C area ribs was appeared to have ideal qualities and least shear twisting. In light of this test, it was discovered that the powerful flexural

inflexibility of the composite floor joist might be determined as 70% of the flexural unbending nature of a proportional I pillar, overlooking the web, which assesses a slip in the fixings. More work was required to create complete plan proposals assessing the sorts of sheets and their fixings.

A test on 5 m ranges composite cross-section joists utilizing a 50 mm thick gypsum screed showed a 180% expansion in the solidness of the joists and a 120% expansion at the time opposition because of the composite activity created between the joists and the gypsum screed. The failure mode was 'pliable', which exhibited strong composite activity because of the screw fixings through the 16 mm profound profiled steel decking to the joists. The shear-bond quality between the gypsum screed and the shallow profiled steel decking was estimated as 0.13 N/mm² from little scale twisting tests. This composite deck framework has amazing flexural unbending nature for decreased vibration affectability.

Sanchita Nawale et. al. (2014) this research paper presented test performance on cold formed steel structure so as to present the maximum compressive strength, bending and buckling behavior of cold formed steel, present its flexural strength and lastly comparison of cold formed steel against Hot rolled steel.

Direct Strength Method (DSM), which invigorates flexural closer to trial results was utilized for parametric examinations. There were a few disappointment modes among which distortional clamping is one such disappointment mode that influences the quality of the area. To survey the impact of bending section, a parametric report was led by shifting lip profundity, which is the affecting variable for contortion clamping quality. Cold-shaped sections are in any event 280 N/mm², despite the fact that there's a pattern to utilize steels of higher qualities, and in some cases as low as 230 N/mm².

Roshan S Satpute and Valsson Varghese (2012) this research paper carried out a detailed analysis of an Industrial Building with the use of Cold Formed Steel (CFS), while extending this research work presenting a comparative analysis in between use of Hot Rolled Steel Bars and Cold formed Steel in its application on an Industrial Building. The results proved that in the Industrial Building, the cost of construction and used materials were minimized in case of using Cold Formed Steel (CFS) when compared to conventional system with a saving upto 25% on the overall cost of the building.

II. CONCLUSION

As in this study we have presented review of publications related to steel structures and analysis tools. It is reviewed that analysis of steel structures considering wind pressure is necessary to design working industrial frames for safety.

REFERENCES

- [1] LORAGAYLE DOCTOLERO and MUSTAFA BATIKHA [USING COLD-FORMED STEEL SECTION IN BUILDINGS-COMPARATIVE STUDY], Proceedings of 104th IASTEM International Conference, Dubai, UAE, 1st-2nd February 2018.
- [2] Sattainathan Sharma A, Ranjitha S, Jayashree S [A study on the behavior of Cold-formed Steel sections beam column connections], International Research Journal of Engineering and Technology (IRJET), Volume: 05 Issue: 06 | June-2018.
- [3] Moushtakim Billah, Md. Mofizul Islam, Rubieyat Bin Ali [Cold formed steel structure: An overview] Worlds Scientific News, WSN 118 (2019) 59-73, EISSN 2392-2192, 2019.
- [4] Sureshbabu S and SenthilSelvan S [Experimental Investigation on the Flexural Behaviour of Cold Formed Corrugated Steel Channel Sections], International Journal of Innovative Technology and Exploring Engineering (IJITEE), ISSN: 2278-3075, Volume-8, Issue-6S3, April 2019.
- [5] Raffaele Landolfo [COLD-FORMED STEEL STRUCTURES IN SEISMIC AREA: RESEARCH AND APPLICATIONS], VIII Congresso de Construção Metálica e Mista, Guimarães, Portugal, 2019.
- [6] S. Nawale, Sangram Chalukya, Dr. S. V. Admane [Comparative Analysis and Bending Behavior of Cold form Steel with Hot Rolled Steel Section], American Journal of Engineering Research (AJER), Volume-03, Issue-05, pp-255-261. 2014.
- [7] Padmanaban R, Suresh babu S [Experimental Study on use of Cold Formed Steel Sections as Truss Members] International Journal of Innovative Technology and Exploring Engineering (IJITEE), ISSN: 2278-3075, Volume-8, Issue-6S3, April 2019.
- [8] SK. Fayaz, I. Siva Kishore, Ch. Mallika Chowdary, K. J. Brahmachari [Numerical Analysis of Cold Formed Steel Compression Members Based on Buckling Profile Under Eccentric Loading], International Journal of Recent Technology and Engineering (IJRTE) ISSN: 2277-3878, Volume-7, Issue-6C2, April 2019.
- [9] Roshan S Satpute and Valsson Varghese [Building Design Using Cold Formed Steel Section], International

Refereed Journal of Engineering and Science (IRJES),
Volume 1, Issue 2 (October 2012), PP.01-16.

- [10] A. AshikElahi, K. JothiBaskar, R.Aravindh and B. Mohanraj [Experimental Study on Behaviour of Cold Formed Steel using C Channel Section under Axial Compression] IJRST –International Journal for Innovative Research in Science & Technology| Volume 2 | Issue 11 | April 2016.
- [11] Ramanand Tiwari and V. S. Parihar [A Study on the Peculiar Problems of Cold-Formed Steel Design], International Journal for Research in Applied Science & Engineering Technology (IJRASET), Volume 5 Issue IV, April 2017.