

# Innovative Concept of Internet Technology and Cloud Computing

Guruj N. Kulkarni<sup>1</sup>, Vinayakumar S. Chikaraddi<sup>2</sup>

<sup>1,2</sup> A S Patil College of Commerce (Autonomous), Vijayapur, Karnataka, India

**Abstract-** *The computer science and electronics are the notable technological advances. Modern service innovation is an important encouragement and enabled by developments of information technology. A fairly recent technical development is classified Concept of Internet Technology (COIT) based on the devices and objects of the Internet. The COIT also means that individual objects, and interrelated collections of objects e.g. home connected electronic devices with help of internet (Wi-Fi) and cars, can be made uniquely identifiable by radio tags, sensors and actuators and thereby become virtually represented in wireless and wired internet structures in the form of consciousness of the Concept of Internet Technology and Cloud Computing. The COIT has the potential to deliver solutions that improve security, health, education and many other aspects of daily routine life. This paper discusses on the vision, challenges, and technological blocks of the Concept of Internet Technology and its various applications. And also covers the future development and challenges.*

**Keywords-** Concept of Internet Technology (COIT), Applications Cloud Computing, Wireless Sensor Network (WSN).

## I. INTRODUCTION

The Concept of Internet Technology and cloud computing is the extension of the Internet and the Web. In the COIT, everything real becomes virtual which means that each person and thing has a locatable, addressable and readable counterpart on the Internet. These virtual entities can produce and consume services and collaborate towards a common goal. The user's phone knows about the physical and mental state through a network of devices that surround his body, and can act on his behalf. This concept in future in which digital and physical entities can be linked by means of appropriate information and communication technologies, to enable a whole class of applications and services. In this article, we present a survey of technologies application and challenges of Concept of Internet Technology and Cloud Computing,

## II. CONCEPTS, DEVICES AND RESOURCES

Internet Technology is related to the integration of the physical world with the virtual world of the Internet. There are physical objects one wants to track, to monitor and to interact with examples include inanimate objects like pallets

and boxes containing consumer goods, cars, machines, fridges and maybe even the infamous carton of milk or cup of yoghurt as well as animate objects like animals and humans. These are the Internet entities of interest. In order to monitor and interact with one or more entities and make the connection to the Internet, technical communication devices are required. The devices are embedded to connect the installed in the environment of the things to be monitored. Devices are a subset of all the things in the internet concept. However, reasons of clarity for this case where the concept, the device and the entity of interest should be treated as a special case. Devices usually host resources: these are computational elements that provide the technical link to the entities of interest e.g., they offer information about the identifier or sensed data, and they may provide actuation capabilities as well as access to resources from the outside world.

Finally happens through services. Resources may offer a service interface directly, or services inside the network act as proxies for the actual resources, possibly providing additional levels of aggregation and abstraction. These services can be used as the most appropriate when accessing resources directly through various technology components implementing CIOT.

**Services:** System integrators and service organizations provide integration and solution for implementation of services to COIT projects.

**Software:** Middleware and application infrastructure vendors provide information for analytical engines regarding COIT endpoints and enable upward market solutions.

**Hardware:** Global Processing System chips, sensors, actuators, and embedded and external hardware devices capture location and status information.

**Network:** Network access, satellite, and transport infrastructure vendors provide the network connectivity that underlies COIT solutions.

**Solutions:** Business intelligence and analytical software solutions such as data mining and predictive analytics, video image analysis, pattern recognition, and artificial intelligence algorithms determine whether to act on or ignore a pattern.

### III. APPLICATIONS

There are several application domains which will be impacted by the emerging Internet of Things. The applications can be classified on the bases of the network availability, coverage, scale, heterogeneity, repeatability, user involvement and impact. We categorize the applications into four application domains:

1. Personal and Home
2. Utilities
3. Mobile.

#### 3.1 Personal and Home:

The sensor information collected is used only by the individuals who directly own the network usually Wi-Fi is used as the back bone enabling higher bandwidth data (video) transfer as well as higher sampling rates (Sound) (figure(1)).




Figure -1: Applications of COIT

COIT gives a perfect platform to realize the vision using body area sensors and COIT to upload the data to servers. For instance, a Smartphone can be used for communication along with several interfaces like Bluetooth for interfacing sensors measuring physiological parameters. So far, there are several applications available for Apple iOS, Google Android, Ubuntu and Windows Phone operating systems that measure various parameters. However, it is yet to be centralized in the cloud for general users to access the same control of home equipment such as air conditioners, refrigerators, washing machines etc., They will allow better home and energy management. This will see consumers become involved in the COIT revolution in the same manner as the Internet revolution itself. An interesting development will be using a FaceBook like concept where individual concept in the house can periodically message the readings which can be easily followed from anywhere in the world.

#### 3.2. Utilities:

The information from the networks in this application domain is usually for service optimization rather than consumer consumption. It is already being used by utility companies for resource management in order to optimize cost verses profit. These are made up of very extensive networks for monitoring critical utilities and efficient resource management. The backbone network can vary between cellular, Wi-Fi and Satellite communication. Smart grid and smart metering another potential COIT application which is being implemented around the world. Efficient energy consumption can be achieved by continuously monitoring every electricity point within a house and using this information to modify the way electricity is consumed. This information at the city scale is used for maintaining the load balance within the grid ensuring high quality of service. Video based COIT, which integrates image processing, computer vision and networking frameworks. It will help to develop a new challenging scientific research area at the intersection of video, infrared, microphone and network technologies. Surveillance, the most widely used camera network application helps to track targets, identify suspicious activities and monitor unauthorized access. Water network monitoring and quality assurance of drinking water are another critical application that is being addressed through COIT. Sensors measuring critical water parameters are installed at important locations in order to ensure high supply quality. This avoids accidental contamination among storm water drains, drinking water and sewage disposal. The same network can be extended to monitor irrigation in agricultural land.

#### 3.3. Mobile:

Smart transportation and smart logistics are placed in a separate domain for data sharing and backbone implementation. Urban traffic is the main contributor for traffic noise pollution and a major contributor to urban air quality degradation and greenhouse gas emissions. Traffic congestion directly imposes significant costs on economic and social activities in most cities. Supply of chain efficiencies and Productivity including just-in-time operations are severely impacted by this congestion causing freight delays and delivery schedule failures. The transport COIT will enable the use of large scale WSN for online monitoring of travel times, origin–destination (O–D) route choice behavior, queue lengths and air pollutant and noise emissions. The COIT is likely to replace the traffic information provided by the existing sensor networks of inductive loop vehicle detectors employed at the intersections of existing traffic control systems. The prevalence of Bluetooth Technology (BT) devices reflects the current COIT penetration in a number of digital products such

as mobile phones, car hands-free sets, navigation systems, etc. There are many privacy concerns by such usages. And digital forgetting is an emerging domain of research in COIT where privacy is a concern. Another important application in mobile COIT domain is efficient logistics management. This includes monitoring the items being transported as well as efficient transportation planning.

#### IV. CLOUD CENTRIC CONCEPT OF INTERNET TECHNOLOGY

The vision of COIT can be seen from two perspectives of Internet centric. The concept of internet architecture will involve internet services which is the main focus while data is contributed by the objects. In the object centric architecture, the smart objects take the center stage. In order to realize the full potential of cloud computing as well as ubiquitous sensing, a combined framework with a cloud at the center seems to be most viable. The Sensing service providers can join the network and offer their data using as a storage cloud. Analytical tool developers can provide their software tools. Artificial intelligence experts can provide their data mining and machine learning tools useful in converting information to knowledge and finally computer graphic designers can offer a variety of visualization tools. Cloud computing can offer these services as Infrastructures, Platforms or Software where as the full potential of human creativity can be tapped using as services. The data generated, tools used the visualization created disappears into the background and tapping the full potential of the Concept of Internet Technology in various application domains. Cloud integrates all ends by providing scalable storage, computation time and other tools to build new businesses and visualization paradigms. Furthermore, we introduce an important realm of interaction between clouds which is useful for combining public and private clouds using Aneka (It is platform and a framework for developing distributed applications on the cloud). This interaction is critical for application developers in order to bring sensed information, analytics, algorithms and visualization under one single seamless framework.

However, developing COIT applications using low-level Cloud programming models and interfaces such as Thread and MapReduce models. To overcome this, we need a COIT application specific framework for rapid creation of applications and their deployment on Cloud infrastructures. This is achieved by mapping the proposed framework to Cloud APIs offered by platforms such as Aneka. Framework should be able to provide support for:

- Reading data streams either from sensors directly or fetch the data from databases.

- Easy expression of data analysis logic as functions/operators that process data streams in a transparent and scalable manner on Cloud infrastructures.
- If any events of interest are detected, outcomes should be passed to output streams, which are connected to a visualization program.

Using such a framework, the developer of COIT applications will able to harness the power of Cloud computing without knowing low-level details of creating reliable and scale applications.

#### V. CHALLENGES AND FUTURE DIRECTIONS

The specific challenges of COIT include challenges such as privacy, participatory sensing, data analytics, GIS based visualization and Cloud computing apart from the standard WSN challenges including architecture, energy efficiency, security, protocols, and Quality of Service. The ultimate goal is to have Plug and Play smart objects which can be deployed in any environment with an interoperable backbone allowing them to blend with other smart objects around them. Standardization of frequency bands and protocols play a pivotal role in accomplishing this goal. A roadmap for key developments in COIT research in the context of pervasive applications is shown, in which includes the technology drivers and key application outcomes expected in the next decade. The section ends with a few international initiatives in the domain which could play a vital role in the success of this rapidly emerging technology able to navigate the data better than ever before. With the emerging 3D displays of navigate system, this area is certain to have more research and development opportunities.

#### VI. CONCLUSION

The devices with communicating-capabilities is bring closer to the vision of COIT, where the sensing and actuation functions seamlessly blend into the background and new capabilities are made possible through access of rich new information sources. The evolution of the next generation mobile system will depend on the creativity of the users in designing new applications. The COIT is an ideal emerging technology to influence the domain by providing new evolving data and the required computational resources for creating revolutionary applications we present here a user-centric model for approaching this goal through the interaction of private and public clouds. Allowing for the necessary flexibility to meet the diverse and sometimes competing needs of different sectors. It provides us a framework allows networking, computation, storage and visualization themes

separate. Thereby of independent growth in every sector but complementing each other in a shared environment. The consolidation of international initiatives is quite clearly accelerating progress towards COIT, providing an overarching view for the integration and functional elements that can deliver an operational COIT.

### REFERENCES

- [1] R. Buyya, C.S. Yeo, S. Venugopal, J. Broberg, I. Brandic, —Cloud computing and emerging IT platforms, Future Generation Computer Systems(2009), pp. 599–616.
- [2] W. Voorsluys, J. Broberg and R. Buyya, - Introduction to Cloud Computing, In: R. Buyya, J. Broberg and A. Goscinski, Eds., Cloud Computing: Principles and Paradigms, Wiley Press, New York, 2011, pp. 3-41.
- [3] S. Tilak, N. Abu-Ghazaleh, W. Heinzelman —A taxonomy of wireless micro-sensor network models, ACM Mobile Computing and Communications Review, 6 (2002), pp. 28–36.
- [4] M. Tory, T. Moller, —Rethinking visualization: a high-level taxonomy, IEEE Symposium on Information Visualization, 2004, INFOVIS 2004, 2004, pp. 151–158.
- [5] Y. Rogers, —Moving on from Weiser’s vision of calm computing: engaging ubicomp experiences, in: UbiComp 2006: Ubiquitous Computing, 2006.
- [6] R. Caceres, A. Friday, —UbiComp systems at progress, opportunities, and challenges, IEEE Pervasive Computing, 11 (2012), pp. 14–21.
- [7] F. Carrez (Ed.), M. Bauer, T. Baugé, J. Bernat, M. Bohli et al., —SENSEI Reference Architecture, EU FP7 Project SENSEI, Deliverable D3.2, 2009.
- [8] A. Alkar, U. Buhur, —An Internet based wireless home automation system for multifunctional devices, IEEE Transactions on Consumer Electronics, 51 (2005), pp. 1169–1174
- [9] A. Gluhak, S. Krco, M. Nati, D. Pfisterer, N. Mitton, T. Razafindralambo—A survey on facilities for experimental Internet of Things research, IEEE Communications Magazine, 49 (2011), pp. 58–67.
- [10] A. Gluhak, S. Krco, M. Nati, D. Pfisterer, N. Mitton, T. Razafindralambo —A survey on Facilities for experimental Internet of Things research, IEEE Communications Magazine, 49 (2011), pp. 58–67.
- [11] X. Li, R.X. Lu, X.H. Liang, X.M. Shen, J.M. Chen, X.D. Lin —Smart community: an Internet of Things application, IEEE Communications Magazine, 49 (2011), pp. 68–75.
- [12] Manvendra yadav and Sonia Kumari “Innovation Internet of Things” Vol 05 Dec 2015 No.15397-15401
- [13] C. Erenben, —Cloud Computing: The Economic Imperative, ESchool News, Vol. 12, No. 3, 2009, pp. 12-19.
- [14] J. Belissent, —Getting clever about smart cities: new opportunities require new business models, Forrester Research, 2010.
- [15] L. Atzori, A. Iera, G. Morabito, —SIoT: giving a social structure to the Internet of Things, IEEE Communications Letters, 15 (2011), pp. 1193–1195.
- [16] Rocha Dixit, Surendra Tipre, Niketan Tote, Deepak Deshmukha, Priya Pokale “A Survey on Cost-Effecting Multi-Cloud Storage in Cloud Computing” ISSN \; 2321-0869 Volume-3, Issue-10, October 2015
- [17] Neelam D.S., Dr. Monica R Mundada “ Mobile Cloud Computing “ ISSN : 2321-0869, Volume-3, Issue-2, February 2015

### BIOGRAPHIES



Author-1 Gururaj N. Kulkarni (MCA)  
Assistant Professor, BCA Department  
A S Patil College of Commerce (Autonomous) Vijayapur  
Mobile No: +91-9538672084  
E-Mail : gururajk@bldeaspcc.ac.in



Author-2 Vinayakumar S Chikaraddi (MCA)  
Assistant Professor,  
B.Com Computer Science Department  
A S Patil College of Commrece(Autonomous) Vijayapur  
Mobile. No: +91-9591565619  
E-Mail:vinay7.chikaraddi@gmail.com