Application of Six Sigma Tool For Construction Project - A Review

Yash P. Sorathiya¹, Ashwini R. Patil²

^{1, 2} Dept of Civil Engineering ^{1, 2} DYPCOE, Pune, India

Abstract- Six Sigma is a Quality improvement technique that is implemented in manufacturing, construction and other industries. Being a vastly disciplined process it helps one focus on developing and delivering near-perfect product quality and service quality. Until now, Six Sigma has been mainly implemented in manufacturing industries. But if it is implemented in construction industry, probably we would get good and improved quality of construction and related services.

Keywords- Six Sigma, Quality Control, Construction Industry

I. INTRODUCTION

Six sigma is a quality improvement technique that is being implemented in manufacturing and other industries. This is a new concept to construction industry. The study explores the principles, basic six sigma theory, methodology and various tools being used to improve the construction quality. In this study the quality of internal finishing will be improved using six sigma. A case study of a residential building has been taken in which the six sigma principles has been applied for internal finishing work, the six sigma methodology has been adopted to improve the quality and is checked against the sigma level. Firstly a checklist is prepared and quality for various internal finishing items is checked. The checks can be taken for various amounts of flats. By studying the checklist, the items which adversely affect the quality are identified and at the same time the sigma level of quality will be found out.

The six sigma DMAIC methodology is adopted to further investigate the process. Various tools at each phase of DMAIC methodology are used which include – SIPOC diagram, Pareto chart, Cause and effect diagram, Corrective action, Control Plan.

With the help of these tools we can rectify the crunches in each process and thus improve them. After applying the improved processes quality will be improved. The findings from literature survey suggest that proper training and management support and minor changes in

current work procedure can help improve the quality and ultimately customer satisfaction which is of prime importance. Six-Sigma is a highly disciplined process that helps us focus on developing and delivering near-perfect products and services. The word Sigma is a statistical term that measures how far a given process deviates from perfection. The conceptual diagram of six-sigma quality control is presented in Figure 1. If normal value for a process is located at the midpoint between upper and lower limit, each one is 6σ away from the normal value. In short, the range of no defect is $\pm 6\sigma$ from the normal. The purpose of this study is to analyze Six Sigma within construction context and evaluate its features through Literature Review.




Fig. 1: The concept of six-sigma

II. LITERATURE REVIEW

According to Frank T. Anbari and Young HoonKwak [1] provides a brief overview of the Six-Sigma management method and its use in project management. They have presented the methodologies used in managing Six-Sigma projects for both- process improvement and new development projects. They have discussed the challenges and obstacles in the application of the Six-Sigma method. They have also identified the success factors for Six-Sigma. According to their findings, the main factors influencing the success of Six-Sigma projects include management commitment, organizational involvement, project governance, project selection, planning, implementation methodology, project

Page | 215 www.ijsart.com

management and control, cultural change and continuous training.

Ganesh U. Borse and Prof. P. M. Attarde [2] have carried out the literature survey and have presented the review of eight literatures in which Six-Sigma is applied in the construction industry.

Low Sui Pheng and MokSzeHui [3] carried out the case study at the Housing and Development Board (HDB), Singapore. Six-Sigma was applied to improve the quality of internal finishes where improvement measures taken by Contractor A helped to raise the Sigma from 2.66σ to 3.95σ .

Prof.SunilDesale, Dr.S.V.Devdhar and Hemant Patil [4] present an investigation of various barriers for implementing Six-Sigma in developing countries like India. In their study, they classified the barriers in four catergories viz. Technological barriers, Financial barriers, External barriers and Internal barriers such as human factor, culture factor, learning factor and absence of customer voice and compotation.

According to R. Radhakrishnan and P. Vasanthamani [5] determined the size of the lot of a Six-Sigma based single sampling plan with Poisson Distribution as a base line distribution. They made tables for the easy selection of the plan for various values of sample size and Average Outgoing Quality (AOQ) with probability of acceptance 1 – 3.4x10(-6). Sarathkumar K and Loganathan R [6] aimed on developing a project questionnaire model based on the theory of Six-Sigma. They tried to improve the painting work, tile work and brick work of a building by using DMAIC methodology.

SeungHeon Han, Ho Dong Ryu, Myung Jin Chae, Han Him Kim, Do Yon Kim, Sun Hee Kim [7] explored the feasible solutions for the construction performance improvement by use of the Six-Sigma principle. They carried out a case study of the standard unit activity groups. In-depth comparative analysis was done on the existing methods for performance improvement and the advantages of the Six-Sigma principle over the traditional techniques were identified. It was concluded by them that the Six-Sigma principle had brought more benefits in generating the optimized solution sets from initial performance indices as the target processes became complicated and extended. The authors suggested that an advanced methodology should be developed for the financial feasibility analysis to achieve the aforementioned objectives, before implementing Six-Sigma principle to a real project.

The authors, SeungHeon Han, Myung Jin Chae, Keon Soon Im, Ho Dong Ryu [8], focused on the development of the general methodology to apply the Six-Sigma principles on construction operations rather than construction materials in terms of the barometers to measure, evaluate and improve construction performance. The authors carried out the comparative analysis of the Six-Sigma principle and the traditional techniques. They verified the results by carrying out two case studies. They made Process Simulation Models that shows the construction performance improved as the sigma level advanced by enhancing the condition of CTQ (Critical to Quality).

Sneha P. Sawant and Smita V. Pataskar [9], describes the basic theory of Six Sigma, principles, methodology and various tools used. The authors carried out a case study of a residential building in which they applied the Six-Sigma principles to the internal finishing work so that the quality can be improved and checked against the sigma level. Their findings suggest that proper training and management support can help in improving the quality.

Swethaa.B and Chris Anto. L [10] applied the Six-Sigma principles to the concreting activity. For this, they collected 140 different samples of concrete blocks from RMC and checked their strength. They found the number of defects in them and then by applying Six-Sigma principles, they reduced the defects and verified the results.

The authors, VirenderNarula and SandeepGrover[11] updated the database available for Six-Sigma. They arranged the publications in an orderly manner to enable easy and quick search. They classified the literature on the basis of Research methodology, content, journal, year and further sub classification. They have also identified the research gaps and have provided hints for future research.

III. METHODOLOGY

The main purpose of this study is to present the benefits and to discover the various trends of Six-Sigma. The research strategy was made by selecting the research papers in which successful implementation of Six-Sigma in Construction Industry was presented and documented. Research papers from various international journals were studied. It involved searches from the well-known research databases like Google scholar, ASCE Journals, Inderscience and Science direct. The search was carried out in the journals of these websites with key word as "Six-Sigma in construction industry". In addition, www.delnet.ac.in was searched for Six Sigma books.

Page | 216 www.ijsart.com

IV. CONCEPT OF SIX-SIGMA

Six-Sigma is a quality management philosophy which aims at process improvement by applying statistical process control to reduce variations in product and minimize the defects. The word Sigma is a statistical term that measures how far a given process deviates from perfection. At early 1980s, Motorola Corp was the initiator of the Six Sigma concept and led the organization successfully through the implementation of the Six Sigma principles. Most people consider Six Sigma as a purely statistical methodology. In methodology's practice the term Six Sigma level, means 3.4 defects per million opportunities or success rate of 99.999660 percentages. Six Sigma's purpose is to reduce the variancevariability in processes, so to provide to the clients-consumers of the organization, products or services which are more reliable and with fewer errors. Six-Sigma is a statistics based methodology and relies on the scientific method to make significant reductions in customer defined defect rates in an effort to eliminate defects from every product, process and transaction. The Six-Sigma principle can be represented on a normally distributed product quality distribution curve. When the mean is located at the center of the normal distribution curve, the lower and upper limits are six times the standard deviation (sigma) from the center line. In other words the range of lower and upper limit defect is +/- 6 sigma from the mean. Six Sigma can be applied in two ways viz. DMAIC (Define, Measure, Analyse, Improve and Control) and DMADV (Define, Measure, Analyse, Design and Verify). DMAIC is used for projects aimed at improving an existing business process whereas DMADV is used for projects aimed at creating new product or process designs. V.

V. CONCLUSION

This work recognizes that vast literature was obtained on six sigma philosophy, which gives a wide idea of present practices and researches carried. Six sigma philosophies are widely accepted by manufacturing/production industries and it is also possible to implement in construction industry with little modification. More research work is still required in this field, so great scope of research is accessible for new researchers in this field.

VI. ACKNOWLEDGEMENT

I would like to take this opportunity to express my profound debt of gratitude towards Mrs Ashwini R. Patil for her valuable guidance, helpful comments and cooperation with kind and encouraging attitude at all the stages of the work.

REFERENCES

- Frank T. Anbari, Young HoonKwak, "Success Factors In Managing Six Sigma Projects", Project Management Institute Research Conference, London, July 11-14, 2004.
- [2] Ganesh U. Borse, Prof. P. M. Attarde, "Application of Six Sigma Technique for Commercial Construction Project-A Review", International Research Journal of Engineering and Technology, Vol. 03, Issue: 06, June-2016.
- [3] Low Sui Pheng and MokSzeHui, "Implementing and Applying Six Sigma in Construction", Journal of Construction Engineering and Management © ASCE, Vol. 130, No. 4, August 1, 2004.
- [4] Prof.SunilDesale, Dr.S.V.Devdhar and Hemant Patil, "Implementation Barriers for Six Sigma in Construction", International Journal of Engineering Trends and Technology, Volume4, Issue2- 2013.
- [5] R. Radhakrishnan and P. Vasanthamani, "Determination of Lot Size in the Construction of Six Sigma Based Sampling Plans", International Journal of Enterprise and Innovation Management Studies, Vol. 1, No. 3.
- [6] Sarathkumar K, Loganathan R, "Evaluation of Six Sigma Concepts in Construction Industry", International Journal of Scientific & Engineering Research, Vol. 7, Issue 4, April-2016.
- [7] SeungHeon Han, Ho Dong Ryu, Myung Jin Chae, Han Him Kim, Do Yon Kim, Sun Hee Kim, "Six-Sigma Based Approach for Productivity Improvement in Construction Project", International Association for Automation and Robotics in Construction, Taiwan.
- [8] SeungHeon Han, Myung Jin Chae, Keon Soon Im, Ho Dong Ryu, "Six-Sigma-Based Approach to Improve Performance in Construction Operations", Journal of Management in Engineering © ASCE, Vol. 24, No. 1, January 1, 2008.
- [9] Sneha P. Sawant and Smita V. Pataskar, "Applying Six Sigma Principles in Construction Industry for Quality Improvement", Intl. Conf. on Advances in Engineering and Technology, 2014.
- [10] Swethaa. B and Chris Anto.L, "Quality Control in Construction Using Six Sigma Technique", Journal of Civil Engineering and Environmental Technology, Volume 3, Issue 5; pp. 436-439, April-June, 2016.
- [11] Virender Narula, Sandeep Grover, "Six Sigma: Literature Review and Implications for Future Research", International Journal of Industrial Engineering & Production Research, Volume 26, No. 1, pp. 13-26, January 2015.

Page | 217 www.ijsart.com