

NLP: Clustering Analysis For Afan Oromo Language

Dr.N.Kannaiya Raja¹, Dr.B.Barani Sundaram²

^{1,2}Dept of Computer Science

¹Institute of Technology, Ambo University, Ethiopia

²Bulehora University, Ethiopia.

Abstract- *The main purpose of this paper is to describe a process for solving the organize huge collection of Afan Oromo news document manually. The research is conducted using unsupervised machine learning python tools for Afan Oromo news document clustering with low cost and best quality of clustering solution. In this research work focusing on k-means clustering analysis which produced better results as compared to the other cluster analysis both in terms of time requirement and the quality of the clusters produced*

Keywords- Afan Oromo Language, Afan Oromo Text Document, Kmeans, cluster, Clustering Model

I. INTRODUCTION

Several Languages categorized under different families in Ethiopia[1] in which Afan Oromo is one family of Cushitic family widely used in Ethiopia and Horn of Africa. Currently, more than 80 languages are speaking in Ethiopia [2]. Afan Oromo Language is known language in Ethiopia. More than half of Ethiopia People speaking Afan Oromo Language in Ethiopia and outside Ethiopia, Afan Oromo Language spoken by people of Horn of Africa. In small percent people in different parts of world also speak this language. Afan Oromo uses “Qubee” scripts which has 26 characters taken from latin[2]. Afan Oromo Language is mother tongue for oromo people and official language for Oromia regional state government[1]. Since Afan Oromo language used for different purpose, large amount of text documents is producing in this language. Afan language are using in primary school, secondary school, court, Journals, journal, and etc are generating today. From this large documents are generating. Producing large amount of text documents resulted in problem of contents of searching and identifying important of group of text documents. To overcome this difficulty of finding important groups of document, researcher designed model that groups document contents according their similarity. To design model Text document clustering Techniques from machine learning techniques, particularly Kmeans algorithm applied to cluster Afan Oromo Text documents into groups automatically.

Text document clustering is technique of grouping text document into groups based on their internal similarity.

Internally similar text documents clustered under the same groups whereas externally similar documents clustered under different clusters[3] It is techniques of that grouping available document into clusters existing collection of text documents into important clusters[4]. Text document clustering applied into different area of Data mining, Text categorization, Natural Language Processing and Information Retrieval[5]. In this research, researcher collected data from Oromia tourism Office, Oromia Broadcast Network, and others offline and online written documents in electronic format. Totally 25 Afan Oromo Text Documents collected. Each Afan Oromo Text Documents collected in word format and combined together to develop corpus. After text Preprocessing, cosine similarity, Dimensionality reduction and Dimensionality Reduction Performed on the Corpus, dataset prepared. Dataset loaded into Python and Saved as “AfanOromoDataSets.csv”.

In this study, Kmeans Machine Learning algorithm implemented to cluster Afan Oromo Text Documents. Internally similar Afan Oromo text documents clustered under the same groups whereas externally similar documents clustered under different clusters using R. As a result, Afan Oromo Text document used in experiment grouped into eleven main clusters. Agriculture, Culture, Education, Gada system, Heath, Politics, Religion, Sport and Other resulted clusters from the experiment. The performance of developed clustering model evaluated depending on the number of instance correctly distributed into clusters.This paper organized as hereunder. In section 1 introduction on entire work discussed. The methodology employed in this study discussed in the section 2. section 3 explains experiment. Finally, section 4 presents Conclusion and Recommendation.

II. METHODOLOGY

The methodology used in this research is the knowledge discovery in text approach by which multi-step process, which includes all the tasks from the gathering of documents to the visualization the extracted information. In this research includes

A. Data Collection

There is no standard news corpus for Afaan Oromo language. Therefore, researcher collected data from Oromia Tourism Office, Oromia Broadcast Network, Oromia Broadcasting service, Oromia Media Network, Voice of America Radio, Oromia Waqeffatota Association, Oromia Cultural Center and also internet news documents.

B. DOCUMENT PREPROCESSING

One of the basic steps in this research work is preprocessing of the unstructured text documents or news items. Document preprocessing is a very vital role in text clustering, as it is irrelevant and redundant features often degrade the performance of clustering algorithms both in speed and its accuracy and also its tendency to reduce over fitting. Hence, document preprocessing activities are done to increase the performance of clustering algorithms both in speed by removing irrelevant and redundant features of the oromo text documents. Routines were written using Python to tokenize, normalize, remove stop words and stem the documents.

C. TERM FREQUENCY WEIGHTING (TF) FOR INDEXING

Document represented by utilizing document weighting approach. As [6] approved that document representation computed from Term Frequency (TF) and Inverse document Frequency (IDF). $Tf(t,cs)$ computed as $\sqrt{\text{count}(t,cs)}$, $idf(t,docs)$ computed as $\log(D/df(t,docs))$ and term weight W_i is computed as $TF * IDF$. Researcher Utilized to calculate Afaan Oromo Document representation using Python from prepared Afaan Oromo Corpus. In document representation the row contain the name of words reduced to root and the column contain name of documents. The Matrix used as in put for each clustering algorithm. Corpus loaded into python working space after and Python Scripts also used to calculate Term Frequency, Inverse Document Frequency, and Term Frequency * Inverse Document Frequency. Term Frequency and Inverse Document Frequency saved in CSV file format using Python scripts. After Term Frequency and Inverse Document Frequency calculated and saved document index calculated as Term Frequency * Inverse Document Frequency. Term Frequency * Inverse Document Frequency also saved in CSV file format.


D. Afaan Oromo Text document Clustering Algorithms

In this work, Kmeans algorithm utilized to cluster Afaan Oromo text document. Experiment conducted using Python and matrix we prepared as dataset. The main functions of k-means clustering is

$$J = \sum_{i=1}^m \sum_{k=1}^K w_{ik} \|x^i - \mu_k\|^2$$

where $w_{ik}=1$ for data point x_i if it belongs to cluster k ; otherwise, $w_{ik}=0$. Also, μ_k is the centroid of x_i 's cluster and the Series of steps in Text clustering adopted are 1) Select K points as the initial Centroids, 2) Assign all points to the closest centroid, 3) Recomputed the Centroid of each cluster, repeat 2 and 3 steps until centroid do not change[3]. Researcher assigned different values for K several as steps.


E. MODEL FRAMEWORK



III. EXPERIMENT RESULT

Researcher converted data set format into CSV file format that supported by Python for conducting experiment. After Compatible data set loaded into Python, Kmeans clustering algorithm also applied for Afaan Oromo nonfiction text document clustering. Repeated experiment 5 times by assigning 3, 5, 8, 9 and 10 as centroids during clustering experiment in Python. Accuracy of each experiment evaluated by correctly clustered number of instance and incorrectly assigned number of instances. Finally, at centroids values assigned as 10 small number of Clustered assigned incorrectly. At this particular step when centroid 10 was scored as 10.22% as incorrectly assigned and 89.78 assigned correctly. Finally, researcher identified clusters name and the accuracy of the clusters. Clusters scored different accuracy during experiment.

Agriculture clusters scored highest accuracy where cluster “Other” scored lowest accuracy.



REFERENCES

- [1] G. M. Wegari, "OroRoots: Rule-Based Root Generation System for Afaan Oromo," *International Journal of Scientific & Engineering Research*, vol. 8, no. 3, p. 1, 2017.
- [2] N. Bakala, "Information Retrieval System By Using Vector Space Model," *INTERNATIONAL JOURNAL OF SCIENTIFIC & TECHNOLOGY RESEARCH*, vol. VOLUME 8 , no. ISSUE 10, p. 2, 2019.
- [3] N. S. E. T. S. S. Anthon Roberto Tampulon, "Document clustering Using Combination of K-means and Single Linkage Clustering Algorithms," *Journal of ENGINEERING and Applied Sciences* , no. 13 (Special Issue 3): 3188-3192, , p. 3, 2018 .
- [4] K. D. G. Hannah Grace, "Experimental Estimation of Number of Clusters Based on Cluster Quality," *Journal of mathematics and computer science* 12 (2014), 304-315, vol. 12, 2014.
- [5] N. Bakala, "A two Steps approach for Afan Oromo nonfiction text categorization," *International Journal of Scientific Research in Computer Science, Engineering and Information Technology*, vol. 3, no. 1/1661, p. 2, 2018.
- [6] D. P. A. V. Prafulla Bafna, "Document Clustering: TF-IDF approach," *International Conference on Electrical, Electronics, and Optimization Techniques* , p. 1, 2016.
- [7] S. S. M. S. Hariharan, "EXPERIMENTS ON DOCUMENT CLUSTERING IN TAMIL LANGUAGE," *ARPJ Journal of Engineering and Applied Sciences*, vol. 13, no. 10, p. 1, 2018.