Automatic Timetable Generator Using Genetic Algorithm

Mr. Mahajan S¹, Mr. Taru A², Mr. Jadhav D³, Mr. Pokale S⁴, Prof.Shaikh S⁵

 $^{1,\,2}$ Dept of Information technology $^{1,\,2}$ Genba Sopanrao Moze College of Engineering, Pune.

Abstract- To Change the conventional machine of producing timetable. With the assist of Genetic Algorithm may be created Automatic Time Table Generator in order that instructors may be capable of generate timetable easily. It will create timetable for every magnificence and segment. The administrator will assign the personnel their difficulty to a specific time slot. Genetic algorithms a famous meta-heuristic that has been applies to many difficult combinatorial optimization troubles which incorporates scheduling lectures/classes. Time desk technology is tedious process for educationalist with admire to time and guy power. Providing a automated time desk generator will assist to generate time desk mechanically. Proposed machine of our mission will assist to generate it mechanically additionally allows to keep time. It avoids the complexity of putting and coping with Timetable manually.

Keywords- Genetic set of rules, timetable, Absent, Teachers, chromosomes.

I. INTRODUCTION

The Grand timetabling trouble is a standard scheduling trouble that looks to be a tedious process in each educational institute a few times a year. In in advance days, time desk scheduling changed into achieved manually with a unmarried character or a few or Generic Algorithmnization concerned in project of scheduling it manually, which takes numerous attempt and time. Planning timetables is one of the maximum complicated and error-susceptible applications. Timetabling is the project of making a timetable even as fulfilling a few constraints. There are essentially varieties of constraints, smooth constraints and difficult constraints. Soft constraints are the ones if we violate them in scheduling, the output continues to be valid, however difficult constraints are the ones which if we violate them; the timetable is not valid. The seek area of a timetabling trouble is just too vast, many answers exist withinside the seek area and few of them aren't viable. Feasible answers right here imply the ones which do now no longer violate difficult constraints and as nicely try and fulfill smooth constraints. We want to select the maximum suitable one from viable answers. Most suitable ones right

here imply the ones which do now no longer violate smooth constraints to a extra extent.

ISSN [ONLINE]: 2395-1052

As new technology have emerge as an critical a part of training machine, We have created automated timetable generate the use of notification specification so that it will assist instructors in order to generate timetable. It will create timetable for every magnificence and segment branch the system of producing automated timetable is that administrator will assign the personnel, their specific difficulty at a specific time slot additionally the critical specification of this machine is if the college is absent it'll ship a notification to the HOD in addition to the precept and take a look at whether or not every other college is there to change the lecture with the absent college.

Using Genetics Algorithm, some of trade-off answers, in phrases of a couple of goals of the trouble, may be received very easily. Moreover, every of the received answers has been determined a lot higher than a manually or Generic Algorithmnized answer that is in use.

II. LITERATURE SURVEY

[1] Akshay putt swamy, H M Arshad Ali Khan, Chandan S.V, Parkavi.A "A STUDY ON TIMETABLE GENERATOR". Department of Computer Science and Engineering, M S Ramaiah Institute of Technology, BanGeneric Algorithmlore. In the Year 2018. The key factors encompass the substantial goal of this paper is to supply timetable for any range of guides and a couple of semesters. This machine will assist to create dynamic pages in order that for imposing the sort of machine we are able to employ the distinctive equipment which are broadly relevant and unfastened to use.

[2] International Journal of Interdisciplinary Innovative Research & Development (IJIIRD) ISSN: 2456-236X Vol. 02 Special Issue 03 | 2017 Y Ravi Raju, Mayank ManGeneric Algorithml "Web-Based Application for Automatic Timetable Generation" ARMIET Engineering College, sapGeneric Algorithmon, Thane, India ravi.raju@armiet.com, mayank.manGeneric Algorithml@armiet.com . In the Year

Page | 692 www.ijsart.com

2017. The key factors encompass Timetable technology software will simplify the system of time desk technology which can also additionally in any other case had to achieved the use of unfold sheet manually probably main to constraints trouble which are hard to decide while time desk is generated manually. The goal of the machine is to generate the time desk mechanically

[3] International Journal of Advanced Research in Computer and Communication Engineering ISO 3297:2007 Certified Vol. five, Issue 9, September 2016 Copyright to IJARCCE DOI 10.17148/IJARCCE.2016.59113 505 Solving of Lectures Timetabling Problem and Automatic Timetable Generation the use of Genetic Algorithm Nashwan Ahmed Al-Majmar, Talal Hamid Al-Shafiq Department of Math's and Computers, Faculty of Science, IBB University, IBB, Yemen1 Department of Computers and Information Techniques, UST, IBB Branch, IBB, Yemen 2. In the Year 2016. The key factors encompass This paper has targeting fixing of lectures timetabling trouble the use of genetic set of rules.

[4] 2015 Genetic algorithms are general search and optimization algorithms inspired by processes and normally associated with natural world. Genetic algorithm mimics the process of natural selection and can be used as a technique for solving complex optimization problems which have large spaces. They can be used as techniques for solving complex problems and for searching of large problem spaces. Unlike many heuristic schemes, which have only one optimal solution at any time, Genetic algorithms maintain many individual solutions in the form of population. Individuals (parents) are chosen from the population and are then mated to form a new individual (child). The child is further mutated to introduce diversity into the population.

The toddler is similarly mutated to introduce range into the Population.Rather than beginning from a unmarried factor in the seek area, Generic Algorithm is initialized to the Population of guesses. These are normally random and could bespread at some point of the hunt area. A common set of rules then makes use of 3 operators, choice, crossover and mutation, to direct the Population towards convergence at international optimum.

III. METHODOLOGY

In order to deal with timetabling issues, we have proposed a system which would generate timetables for the college. Lectures ,Courses, Faculties and Rooms will be scheduled in accordance with all possible constraints and given inputs and thus a timetable will be generated. And we have added a new specification of Submission of assignment in which students will accept the accept assigned by the teachers and will submit its assignments in a folder named Student.

Chromosome Representation

Genes make up the chromosome, and each gene represents a distinct class (i.e. a lecture , a lab session, Teacher, Room and etc). Each classes only requires two laboratory sessions, several 2-hour sessions are required in a week. Labs are scheduled for two hour .Every constraint is represented by the gene value. A lab session requires two genes to represent it. In order to represent a lecture, only one gene is required as well as teacher or rooms. By using f(x) = x2 we can assign bits to the inputs and can give them a unique value which will be value of genes. And by combining all the values of Genest he value of chromosome is 011101111110111100 is created.

This set of rules displays the system of herbal choice wherein the fittest people are decided on for replica so that it will produce higher and healthful offspring of the following technology.




Figure: Genetic Algorithm flow Diagram

This levels are taken into consideration in a genetic set of rules:

- Chromosome illustration: Chromosome is a fixed of parameters which outline a proposed technique to the trouble that the genetic set of rules is making an attempt to solve. The chromosome is frequently represented as a easy string. The health of a chromosome relies upon how nicely that chromosome solves the trouble at hand.
- Initial Population: The first step withinside the functioning of a Generic Algorithm is the technology of an preliminary Population. Each member of this Population encodes a likely technique to a trouble. After growing the preliminary Population, every man or woman is evaluated and assigned a health cost in step with the health feature. It has been identified that if the preliminary Population to the Generic Algorithm is top, then the set of rules has a higher opportunity of locating an amazing answer and that, if the preliminary deliver of constructing

Page | 693 www.ijsart.com

blocks isn't always huge sufficient or top sufficient, then it'd be hard for the set of rules to discover a top answer.

- Selection: This operator selects chromosomes withinside the Population for replica. The more healthy the chromosome, the greater instances it's miles possibly to be decided on to reproduce.
- Crossover: In genetic algorithms, crossover is a genetic operator used to differ the programming of a chromosome or chromosomes from one technology to the following. It has similarities to replica and or Generic Algorithm crossover, upon which genetic algorithms are based. Cross over is a system of taking multiple figure answers and generating a toddler answer from them. There are techniques for choice of the chromosomes. This operator randomly chooses a Location and exchanges the subsequences earlier than and after that Location among chromosomes to create offspring. For example, the strings 10000100 and 11111111 may be crossed over after the 0.33 Location in every to supply the 2 offspring 10011111 and 11100100. The crossover operator kind of mimics or Generic Algorithmnic recombination among unmarried-chromosome or Generic Algorithmnisms
- Mutation: Mutation is a genetic operator used to keep genetic range from one technology of a Population of genetic set of rules chromosomes to the following. It has similarities to or Generic Algorithmnic mutation. Mutation alters one or greater gene values in a chromosome from its preliminary state. In mutation, the answer can also additionally alternate totally from the preceding answer. Hence Generic Algorithm can come to higher answer with the aid of using the use of mutation. This operator randomly flips a number of the bits in a chromosome. For example, the string 00000100 is probably mutated in its 2nd role to yield 01000100. Mutation can arise at every bit role in a string with a few probability, normally very small.
- Fitness Function: The health feature is described over the genetic illustration and measures the pleasant of the represented answer. The health feature is continually trouble structured In specific, withinside the fields of genetic programming and genetic algorithms, every layout answer is usually represented as a string of numbers called a chromosome. After every spherical of testing, or simulation, the concept is to delete the 'n' worst layout answers, and to breed 'n' new ones from the first-rate layout answers. Each layout answer, therefore, wishes to be presented a discern of merit, to suggest how near it got here to assembly the general specification, and that is

generated with the aid of using making use of the health feature to the test, or simulation, consequences received from that answer.

ISSN [ONLINE]: 2395-1052

Pseudo Code Of Algorithm

- 1. Create a population of Chromosome.
- 2. Evaluate the fitness of each chromosome.
- 3. While the population is not fit enough
- 4. Kill all relatively unfit chromosome.
- 5. While population size < max. Automatic Time Table Generator TAE Pun e 40 6.3.1
- 6. Select the population members ie chromosome.
- Combine their genetic material to create a new chromosome.
- 8. Cause a few random mutations on the new chromosome.
- 9. Evaluate the new chromosome and display the chromosome as result

Page | 694 www.ijsart.com




Figure: The structure of time table generator.

In the Automatic Time Table Generator Using Notification Specification, the Admin will login with the assist of User_id and password after which the admin will allocate the college's name, faculty and room and the admin will fill the time slot discipline after which observe lively guidelines including forty five mins to be allocated after first lectures after which 15 mins after the primary 4 lectures. Then the machine will observe the Genetic Algorithm and the set of rules will provide the first-rate answer as output. Then admin can print the output i.e., Timetable.

IV. FUTURE SCOPE

To generate timetable for the institute so that it will take much less time usuage and less human mistakes. And

then it is mixed together with highest level of degree with performance and precision. And the enhanced with general system of timetable technology with assist of Generic Algorithm and set of rules together with the help of technology

V. CONCLUSION

An evolutionary set of rules, genetics set of rules for time tabling has been proposed. The goal of the set of rules to generate a time-desk agenda mechanically is satisfied. The set of rules carries some of strategies, aimed to enhance the performance. By automating this system with the assist of pc help timetable generator can keep numerous valuable time of Principle who are concerned in growing and coping with numerous timetables of the institutes. With the rescheduling the absent instructors and notifying instructors and HOD and principal.

Also, the timetables generated are a lot greater accurate, specific than those created manually. We have used python to expand our software. The mission reduces time intake and the ache in framing the timetable manually. The advantages of this technique are simplified layout and decreased improvement time.

REFERENCES

[1] Akshay puttaswamy, H M Arshad Ali Khan, Chandan

- S.V, Parkavi.A "A STUDY ON TIMETABLE GENERATOR" Department of Computer Science and Engineering, M S Ramaiah Institute of Technology, BanGeneric Algorithmlore
 International Journal of Interdisciplinary Innovative Research & Development (IJIIRD) ISSN: 2456-236X Vol. 02 Special Issue 03 | 2017 Y Ravi Raju, Mayank ManGeneric Algorithml "Web-Based Application for Automatic Timetable Generation" ARMIET Engineering university, sapGeneric Algorithmon, Thane, India ravi.raju@armiet.com, mayank.manGeneric Algorithml@armiet.com
- [2] International Journal of Advanced Research in Computer and Communication Engineering ISO 3297:2007 Certified Vol. five, Issue 9, September 2016 Copyright to IJARCCE DOI 10.17148/IJARCCE.2016.59113 505 Solving of Lectures Timetabling Problem and Automatic Timetable Generation the use of Genetic Algorithm Nashwan Ahmed Al-Majmar, Talal Hamid Al-Shfaq Department of Math's and Computers, Faculty of Science, IBB University, IBB, Yemen1 Department of Computers and Information Techniques, UST, IBB Branch, IBB, Yemen 2

Page | 695 www.ijsart.com

E-mail address: amalia@unikl.edu.my

[3] International Journal of Advanced Research in Computer and Communication Engineering Vol. 4, Issue 2, February 2015 Copyright to IJARCCE DOI 10.17148/IJARCCE.2015.4254 245 ISSN [ONLINE]: 2395-1052

[4] Automatic Timetable Generation the use of Genetic Algorithm Dipesh Mittal, Hiral Doshi, Mohammed Sunasra, Renuka Nagpure Bachelors of Engineering, Dept., of Information Tech, Atharva university of Engineering, University of Mumbai, India Assistant Professor, Dept., of Information Technology, Atharva university of Engineering, University of Mumbai, India4 https://nevonprojects.com/automated-college-timetable-generator/

https://www.final-yearproject.com/2018/02/timetable-management-system.html

Automatic Timetable Generation the use of Genetic Algorithm International Journal of Advanced Research in Computer and Communication Engineering Vol. 4, Issue 2, February 2015 Copyright to IJARCCE DOI 10.17148/IJARCCE.2015.4254 245

Page | 696 www.ijsart.com