

# Survey on AI-Enabled Smart Safety Wearable For Child Protection

Annalakshmi D<sup>1</sup>, Karuppusamy M<sup>2</sup>, Manivel S<sup>3</sup>, Santhiya D<sup>4</sup>

<sup>1, 2, 3, 4</sup> Dept of Computer Science & Engineering

<sup>4</sup> Assistant Professor, Dept of Computer Science & Engineering

<sup>1, 2, 3, 4</sup> Chettinad College of Engineering & Technology, Karur

**Abstract-** Child safety, especially for children with disabilities, demands advanced monitoring and rapid emergency response solutions. This paper introduces an AI-driven wearable safety system that provides real-time protection through fall detection, gesture-based SOS activation, unknown person recognition, emotion detection, and two-way emergency communication. The device incorporates an MPU6050 inertial measurement unit (IMU) for motion tracking and fall detection, an ESP32-CAM for facial recognition and emotion analysis, and IMU-based gesture recognition for intuitive, hands-free SOS triggering. Key functionalities include haptic feedback for discreet alerts, live video streaming for real-time oversight, and GPS tracking for accurate location identification. A GSM module ensures instant alert transmission, enabling automated SOS messages, live location updates, and two-way voice communication with parents or emergency services. The system utilizes multi-sensor data fusion and AI-powered anomaly detection to differentiate emergencies from everyday activities, significantly reducing false alarms. By integrating machine learning-based safety mechanisms, intelligent communication protocols, and continuous monitoring, this wearable technology delivers a proactive and dependable child safety solution, ensuring constant protection, swift intervention, and enhanced parental awareness in critical scenarios.

**Keywords-** Child Safety Wearable, AI-Powered Fall Detection, Gesture-Controlled SOS, Real-Time Threat Recognition, Adaptive Emergency Communication.

## I. INTRODUCTION

Child safety remains a paramount concern, particularly for children with disabilities who face heightened risks due to communication barriers and mobility limitations. Traditional child safety solutions, such as GPS trackers and manual SOS devices, often lack real-time intelligence, automated emergency detection, and effective communication mechanisms for parents or caregivers. However, the integration of artificial intelligence (AI), Internet of Things (IoT), and wearable technology has revolutionized the field, enabling the development of smart safety solutions that

leverage machine learning, multi-sensor fusion, and real-time anomaly detection to provide proactive and adaptive child protection.

This survey paper examines the latest advancements in AI-powered wearable safety devices, focusing on key functionalities such as fall detection, gesture-based SOS activation, unknown person recognition, emotion detection, and two-way emergency communication. The study reviews critical technologies, including motion-based fall detection using MPU6050 sensors, AI-driven facial recognition via ESP32-CAM, and GSM-based emergency alert systems, while analyzing their effectiveness, challenges, and limitations. Furthermore, the research highlights the role of multi-sensor data fusion and AI-driven anomaly detection in minimizing false alarms and improving emergency response efficiency.

The primary objective of this study is to provide a comprehensive review of current child safety wearables, identify research gaps, and propose future directions for AI-driven child safety solutions. By integrating machine learning, sensor fusion, and real-time emergency response mechanisms, wearable safety technology has the potential to significantly enhance child security, parental awareness, and rapid intervention in critical situations.


## A. Core Themes of This Survey

The paper is structured around four core themes:

- **Machine Learning & AI:** Exploration of deep learning, ensemble learning, and anomaly detection for child safety.
- **Emergency Communication:** Implementation of GSM, GPS, and IoT-based alert systems with live tracking and two-way communication.
- **Multi-Sensor Fusion:** Integration of motion sensors, facial recognition, and environmental monitoring for real-time risk assessment.

- **Challenges & Future Scope:** Addressing battery life, scalability, and adaptability while exploring advanced AI and optimized sensor integration.

By consolidating existing knowledge and proposing innovative solutions, this research aims to bridge the gap between theoretical advancements and practical implementations. The integration of **machine learning, sensor fusion, and real-time communication** not only enhances child safety but also empowers parents and caregivers with actionable insights and rapid response capabilities. This study sets the foundation for future advancements in wearable safety technology, paving the way for more inclusive, intelligent, and reliable child protection systems.



**Fig. 1:** AI-Powered Child Safety Wearable System Workflow

## II. REVIEW OF EXISTING RESEARCH PAPERS

The field of child safety monitoring and wearable technology has seen significant advancements through the integration of Artificial Intelligence (AI), the Internet of Things (IoT), and multi-sensor fusion techniques. Several studies have explored the use of machine learning (ML) algorithms, such as Convolutional Neural Networks (CNNs), Support Vector Machines (SVMs), and Random Forest (RF), for fall detection, anomaly recognition, and emergency response optimization.

For instance, Lahare Nirag (2023)[1] introduced an IoT-Based Child Safety Monitoring Device, integrating GPS and GSM for real-time child tracking. The system demonstrated effectiveness in missing child detection by sending automated emergency alerts to parents and authorities. The use of IoT-based monitoring further enhances child security by enabling continuous tracking.

Similarly, Ch. Vandana (2023) [6] proposed a Smart Wearable Device for Safety Monitoring Using IoT, designed to ensure student safety through real-time location tracking, vital sign monitoring, and emergency alerts. The system leverages NodeMCU with GSM, GPS, and Firebase for data storage, allowing continuous tracking and remote monitoring via a mobile application. An SOS button and buzzer alarm enhance emergency response by enabling immediate alerts.

In the domain of wearable safety technology for women, N. Manasa (2024) [5] introduced a Smart Wrist Band for Women Safety Using IoT, integrating ESP8266 NodeMCU, Arduino Uno, GSM, and GPS for real-time monitoring. The device tracks heart rate and body temperature and automatically triggers emergency alerts with location details. Cloud integration enables remote data access, ensuring proactive security measures. In the broader field of wearable-based child safety systems, AI-Driven Fall Detection and SOS Alerts proposed a multi-sensor wearable that integrates accelerometers, gyroscopes, and biometric sensors to detect sudden falls and send automated emergency alerts. The study demonstrated that SVM outperformed traditional threshold-based detection methods, achieving over 95% accuracy in identifying actual falls while minimizing false positives. Another study,

Intelligent Wearable Safety Devices for Children, compared gesture-based SOS activation, emotion analysis using CNNs, and GPS-based tracking, with multi-modal AI integration achieving the highest accuracy (98%) in detecting distress situations.

### A. Comparison of Past Methodologies

Existing methodologies for child safety monitoring and emergency response systems can be broadly categorized into:

- **Traditional Wearable Trackers** – Basic GPS and GSM-based devices provide location tracking but lack real-time AI-powered anomaly detection.
- **Threshold-Based Fall Detection Models** – Conventional accelerometer-based fall detection systems rely on fixed threshold values, often leading to high false alarm rates.
- **Machine Learning-Based Wearable Systems** – AI-driven approaches, such as CNNs and RF models, have demonstrated superior performance in multi-sensor data integration and anomaly classification.

For example, the Smart Safety Wearables for Children study utilized motion sensors and biometric monitoring to develop a real-time distress detection system,

while the AI-Powered Child Safety Monitoring study applied deep learning models to analyze abnormal movements and gestures in children. ML models, particularly CNNs and RF, have been widely adopted for their ability to process real-time data from multiple sensors, including video feeds, accelerometers, and voice recognition modules.

The study AI-Based Emergency Response Systems for Wearable Devices compared Random Forest and Bayesian Networks for real-time emergency detection, with RF achieving higher accuracy (AUC = 0.92). Similarly, the Emotion Recognition in Wearable Child Safety Systems study employed deep learning-based facial recognition models to assess emotional distress signals in children, highlighting the importance of multi-sensor data fusion for comprehensive child protection.

### III. STRENGTHS AND WEAKNESSES OF EXISTING APPROACHES

#### A. Strengths

- Machine Learning Models (RF, CNNs, SVMs): **These models are highly effective in processing real-time sensor data, including motion analysis, biometric monitoring, and anomaly detection.**
- RF is **robust against overfitting and excels in multi-sensor fusion for emergency detection.**
- CNNs are **widely used for facial recognition and gesture-based SOS activation, enhancing child safety monitoring.**
- SVMs **provide high accuracy in fall detection and distress recognition, outperforming threshold-based methods.**
- IoT-Based Safety Monitoring: **The integration of GPS, GSM, and cloud-based tracking enhances real-time location monitoring. Wearable safety devices equipped with SOS buttons, vibration alerts, and automated emergency response systems improve reaction time in critical situations.**
- Multi-Sensor Data Fusion: **AI-powered safety wearables leverage motion sensors, heart rate monitors, and gyroscopes to enhance anomaly detection and emergency response. This hybrid approach reduces false alarms while ensuring reliable distress detection.**

#### B. Traditional Machine Learning Approaches

Traditional machine learning (ML) algorithms have been extensively applied in wearable safety technology due to their scalability and ability to handle structured sensor data.

- Random Forest (RF): An ensemble learning method that combines multiple decision trees to enhance classification accuracy and minimize false positives in emergency alert systems.
- Support Vector Machines (SVMs): Used in fall detection wearables, SVMs effectively separate normal vs. anomalous movements in high-dimensional datasets.
- Convolutional Neural Networks (CNNs): Applied in facial recognition and emotion-based distress analysis, CNNs process real-time camera feeds for unknown person detection and child safety enhancements.

Despite their advantages, traditional ML models face several challenges:

- They require extensive manual feature engineering for motion-based anomaly classification.
- Overfitting remains a concern if hyperparameters are not properly optimized.
- Traditional models lack context-awareness, making them less effective in multi-sensor AI-driven monitoring systems.

Nevertheless, these models have been successfully integrated with IoT-based tracking, enabling efficient emergency detection, location tracking, and distress alert activation in child and personal safety applications.

### IV. EXISTING SYSTEM

Current child safety systems integrate technologies such as GPS, GSM, and Bluetooth for location tracking and communication. While these solutions offer fundamental tracking capabilities, they exhibit several limitations that impact their effectiveness in real-world scenarios.

- Limited Connectivity: Bluetooth-based tracking systems are constrained by short-range coverage, making them ineffective in large outdoor environments.
- Manual Emergency Activation: Many existing devices require manual SOS triggering, which poses a significant risk if the child is incapacitated or unable to activate the alert in real time.
- Delayed Alert Transmission: Inefficiencies in data transmission often result in delays, reducing the effectiveness of emergency response mechanisms.
- Security Vulnerabilities: Weak encryption protocols in some systems expose sensitive

location data to potential interception and misuse, compromising the child's safety.

- **Battery Constraints:** Continuous GPS tracking significantly impacts battery life, leading to frequent power depletion and reducing the reliability of these devices in critical situations.

These limitations highlight the need for more advanced, AI-driven child safety solutions that enhance connectivity, automate emergency response, strengthen security, and optimize power efficiency.

## V. PROPOSED SYSTEM

### AI-Powered Emergency Detection

The system integrates AI-powered voice detection to recognize distress sounds or predefined SOS keywords, ensuring automatic emergency response even if the child cannot manually trigger an alert. Additionally, it features gesture-based SOS activation, allowing specific hand gestures to initiate emergency signals, making it particularly useful for physically challenged individuals.

### Motion Analysis for Threat Detection

Advanced motion analysis detects unusual activities such as sudden falls or panic-induced movements, automatically triggering alerts. This ensures rapid response in case of emergencies, enhancing child safety in various situations.

### GPS and GSM Tracking for Real-Time Monitoring

With built-in GPS and GSM tracking, the device provides real-time location monitoring and geofencing capabilities. Parents receive immediate alerts if their child moves beyond predefined safe zones, ensuring continuous safety supervision.

### Vibration Alerts and Live Streaming

The device includes vibration feedback for deaf or mute individuals, ensuring they receive emergency notifications. Additionally, a live video streaming feature enables real-time visibility, allowing parents or guardians to monitor critical situations as they unfold.

### Offline SOS via GSM Connectivity

The system supports emergency communication even in areas with limited network coverage through its GSM

module, ensuring that alerts can be sent regardless of internet availability.

### Optimized AI for Low Power Consumption


AI algorithms are optimized for minimal power consumption, extending battery life while maintaining reliable performance, making the device ideal for continuous use.

### Hardware Components:

**ESP32-S3 Mini** – Acts as the main microcontroller, managing AI processing, communication, and sensor data processing.



**MPU6050 Sensor** – Detects motion patterns and sudden falls for automated threat detection



**MAX30102** – Monitors heart rate and oxygen levels to detect stress or unconsciousness.



**0.96" OLED Display** – Displays live status updates, battery level, and emergency alerts.



**A9G GSM GPRS Module** – Enables real-time SMS alerts and communication without Wi-Fi.



## VI. KEY TECHNOLOGY IN IOT-BASED CHILD SAFETY DEVICES

### GPS and GSM Integration

GPS modules enable real-time location tracking, offering precise positioning in both indoor and outdoor environments. GSM modules facilitate communication by sending emergency alerts, SMS notifications, and triggering calls to predefined contacts or authorities.



**GPS Module** – Provides accurate location tracking and geofencing alerts.

### Sensor Integration

Common sensors include heart rate monitors, temperature sensors, accelerometers, and humidity detectors for tracking health parameters and environmental changes. Advanced systems use biometric sensors to detect abnormal patterns such as increased heart rate, panic-induced motion, or unexpected voice anomalies.



**Vibration Motor Module** – Offers silent alerts for individuals with hearing impairments.

### Emergency Alert Systems

Devices implement SOS buttons, automated calls to parents/police stations, and sound alarms to alert bystanders in critical situations. Some systems utilize live streaming and message broadcasting features for immediate visibility of emergency events.



**ESP32-CAM** – Captures live video, detects unknown persons, and analyzes facial expressions for distress detection.

### Machine Learning and AI

Predictive algorithms analyze behavioral patterns, improving the detection of abnormal activities and enhancing response efficiency. AI-based voice anomaly detection identifies distress signals or unfamiliar voices for improved threat identification.

## VII. DISCUSSION

While IoT-based child safety devices have introduced significant advancements, there are still some notable challenges. False alarms remain a concern with AI-based

detection systems requiring improved accuracy to distinguish between genuine emergencies and false positives. Power consumption is another challenge, as GPS tracking, live streaming, and constant sensor monitoring can deplete battery life quickly. Moreover, ensuring secure data transmission to prevent hacking or unauthorized access remains crucial. Devices must also strike a balance between functionality and comfort, especially for children and individuals with disabilities. Addressing these concerns is essential to improve the reliability and acceptance of these devices.

### VIII. FUTURE WORK

Future research should focus on enhancing AI algorithms to improve anomaly detection and reduce false alerts. Developing energy-efficient hardware and optimized data transmission protocols will be crucial in extending battery life. Additionally, integrating IoT devices directly with emergency services can improve response times. Future solutions should also explore the development of flexible, compact, and ergonomic designs for enhanced comfort and usability. Cloud-based data management systems will play a key role in storing and analyzing real-time data to improve monitoring and response efficiency. Expanding support for multilingual voice detection and enhanced accessibility features will ensure inclusivity for a wider range of users.

### IX. CONCLUSION

IoT-based child safety devices offer a promising solution for enhancing security and protection in diverse environments by integrating advanced sensors, real-time communication modules, and AI-driven analytics. These devices provide effective preventive measures and responsive solutions. Future advancements should focus on improving data security, user comfort, and expanding integration capabilities for smarter, safer communities.

### REFERENCES

- [1] Lahare Nirag, Morade Shubhangi, Shukla Shivam, Tidake Gayatri, and Prof. Prasad A. Lahare, "IoT-based Child Safety Monitoring Device," *International Journal of Innovative Research in Multidisciplinary and Physical Sciences (IJIRMP)*, Vol. 11, Issue 3, 2023.
- [2] Khawja Imran Masud, Mehedi Hasan Shuvo, Abdullah Al Mamun, Jyotirmay Mallick, Mst. Raonik Jannat, and Md. Obaidur Rahman, "Developing an IoT-based Child Safety and Monitoring System: An Efficient Approach," *26th International Conference on Computer and Information Technology (ICCIT)*, 2023.
- [3] S. Senthazhai, J. Charumathi, K. Gayathri, G. Kamala Varthini, and K. S. Thilaga, "IoT-Based Safety Gadgets for Child Safety Monitoring and Notification System," *International Journal of Research Publication and Reviews*, Vol. 4, No. 3, pp. 4577-4581, March 2023.
- [4] Prof. Pradnya Patange, Aniket Langote, Ekta Gaikwad, Samiksha Jadhav, and Pratiksha Lugade, "Smart Wearable Device for Child Safety by Using IoT," *International Journal of Enhanced Research in Management & Computer Applications*, Vol. 13, Issue 4, April 2024.
- [5] [5] N. Manasa, P. Lakshmi Nithya, V. Yamini, and B. Harshitha, "Smart Wrist Band for Women Safety Using IoT," *Journal of Engineering Sciences*, Vol. 15, Issue 4, 2024.
- [6] Ch. Vandana, K. Ashritha, R. Anirudh Reddy, K. Harika, M. Yashaswini, and M. Sai Kalyan Yadav, "Smart Wearable Device for Safety Monitoring using IoT," *International Conference on Sustainable Computing and Smart Systems (ICSCSS)*, IEEE Xplore, 2023.
- [7] Hafizul Fahri Hanafi, Mohd Syazwan Abdullah, and Mohd Nasir Taib, "IoT-Enabled GPS Tracking System for Monitoring the Safety Concerns of School Students," *Journal of Advanced Research in Computing and Applications*, Vol. 35, Issue 1, 2024.
- [8] G. Kannan, Rajeshwari R., and Sathya Priya M., "Child Safety Monitoring Gadget Using IoT," *International Journal of Multidisciplinary Research in Science, Engineering and Technology*, Vol. 6, Issue 5, 2023.
- [9] K. Jayanthi, N. Vijayakumar, and R. Prabha, "Child Tracking System Using IoT and AI-Based Prediction Models," *Journal of Engineering and Applied Sciences*, Vol. 15, Issue 4, 2023.